

Technical data





Versatile and dedicated

- Utility machine for outdoor maintenance

When you are in charge of outdoor maintenance, you need the best tools at your command - and not just in terms of performance. You need utility machines that get the job done beautifully, but will also deliver as many working hours as possible all year round, doing all kinds of jobs perfectly every day. You also need machines that deliver the best return on investment, because, let's face it, equipment for outdoor maintenance is a major budget concern

Finally, you also need to make sure that the people doing the work out there are taken care of as well as possible, so you need machines that will protect and aid them in keeping the outdoor area clean and attractive.

What you need is the City Ranger 2260 from Egholm.

With its powerful petrol engine and 4-wheel drive, the City Ranger 2260 takes care of all kinds of outdoor cleaning assignments - in all seasons. A complete range of tailormade quality attachments ensures perfect results all year round. What you get is maximum versatility and efficiency - by the world's fastest shift between attachments, articulated manoeuvrability, easy handling and operation with maximum operator comfort.

Engineered and built in Denmark, the City Ranger 2260 is craftsmanship through and through - dedicated to making your outdoor areas present themselves as beautifully as possible, regardless of the weather or season.

For City Ranger 2260 the following attachments are available:

Sweeping

Suction sweeper

Ground care

- Weed brush
- Rotary, mulch or collection mower 1200
- Rotary or mulch mower 1600
- · Grass collector
- Flail mower / verticutter
- · Lawn edger
- Tipping shovel
- Load carrier
- · Tipper trailer

Winter

- · Snow sweeper
- Snow plough
- · Snow V-blade
- · Salt and sand spreader










Basic machine

- City Ranger 2260





Standard equipment:

Lights EU standard driving lights plus two extra lights

positioned high on the front (ideal for snow sweeping) and an extra light on the back. Only standard on basic

machines with cabin.

Coupling TÜV approved.

Extra equipment (options):

Air condition (AC) AC can be installed without having to modify the

machine dimensions. The height of the machine stays less than two metres and can still easily be stored in garages or go into underground parking areas. Shared between eight adjustable air ducts, the AC ensures

pleasant cabin conditions.

Seat This seat option offers several adjustment possibilities

and air suspension for extra comfort. There is two different variants - one with nappa and one with fabric.

 Cabin
 ROPS approved cabin including lights, mirrors, beacon

and heating.

Roll bar ROPS approved roll bar for basic machines without

cabin. Including lights and mirrors.

Reversing alarm An alarm when reversing increases the safety in city

centres and pedestrian areas. 108 dB(A).

Rear view camera

Rear view camera with a colour screen and distance indicators ensures a good visibility in confined spaces

indicators ensures a good visibility in confined spaces, where the operated path can be inspected. It also

improves safety in pedestrian zones.

Radio Bluetooth or DAB+ radio with bluetooth including

headset.

Working light Front mounted LED working light provides a wide

bright light improving the driver's view of the terrain.

Numberplate kit The front mounted numberplate holder including

integrated LED flash.

Top filter For extra protection against overheating of the engine

it is recommended to equip your City Ranger 2260 with

a top filter when mowing the grass.

Anti-corrosion The anti-corrosion treatment of the basic machine is recommended when operating in the winter season.

Colour changes The standard green colour can be changed to the

desired RAL colour for your specific needs.

Technical specifications

L	ווע	m	en	SI	OI	าร

Length	mm	2400
Width	mm	1070
Height with cabin / roll bar (ROPS)	mm	1960 / 2000
Weights & other data		
Weight with cabin / roll bar 1)	kg	940 / 910
Payload with cabin / roll bar	kg	670 / 700
Gross vehicle weight	kg	1610
Allowed axle load, front	kg	900
Allowed axle load, back	kg	900
Max. permitted trailer weight without brakes	kg	750
Max. combined weight without brakes	kg	2050
Max. permitted trailer weight with brakes	kg	1500
Max. combined weight with brakes	kg	2500
Performance		
Turning radius (kerb to kerb)	mm	1640
Turning radius - inside	mm	600
Operating speed	km/h	20
Noise level		
Passing (Outside - 2009/63/EEC)	dB(A)	81
Operators seat (Inside - 2009/76/EEC)	dB(A)	81
Engine		
Model	Kubota	WG-972-G-E4
EU norm	1.00010	Stage V
Engine power	hp/kW	33 / 24
Fuel tank capacity (petrol)]	45
Fuel consumption, acc. EN 15429-2 B	I/h	6,9
CE certified according to EU directive		

¹⁾ Includes: 75 kg driver and 90% fuel capacity









Suction sweeper

- City Ranger 2260



1200 / 2100 mm



2820 / 3400 mm

Standard equipment:

Hopper As standard the hopper has a rotation filter system and a fresh water tank with 100 l capacity.

Front brush unit The unit consists of a suction mouth and two front brushes with a water nozzle on each.

Nose wheel To adjust height of brushes.

Hopper stand

The stand for attaching, detaching and storing the hopper allows you to attach/detach the hopper in just 1 minute supporting the multi-functionality of the

machine

Water meter / indicator There is a water meter on the side of the hopper and a water indicator in the cabin. They ensure an excellent

overview over your water consumption and capacity.

The wander hose system is handy for areas out of reach of the suction sweeper unit. With easy access, great mobility and excellent suction performance, cleaning tasks around park bins, benches, steps, tress and other obstacles can be done in no time and with good results. Specifications: 5 m x Ø150 mm.

Extra equipment (options):

3rd and/or 4th brush

The suction sweeper can be equipped with 2-4
brushes - the two front brushes are standard ar

brushes - the two front brushes are standard and the two side-brushes are optional extras. Each brush is equipped with a water sprayer to prevent dust spreading while the unit is working. The front brushes are

height-adjustable via a nose wheel.

High pressure

Wander hose

A long and flexible high pressure hose and lance makes the cleaning of statues, park bins and benches easy. The lance is ergonomic and water amounts can be adjusted to conserve water. Specifications: 6 m hose, 100 bar and 6,5 l/min.

Technical specifications

Dimensions		
Length	mm	2820
Width	mm	1200
Height with cabin	mm	1960
Length with 3 rd and 4 th brush	mm	3400
Width with 3 rd and 4 th brush	mm	2100
Storage dimensions		
Length	mm	900
Width	mm	1100
Height	mm	600
Weights		
Weight with cabin 1)	kg	1205
Payload with cabin	kg	405
Weight - hopper	kg	179
Weight - front brushes, 2 brushes	kg	86
Weight - 3 rd or 4 th brush	kg	22
Hopper		
Hopper net volume (EN 15429-1)	1	450
Hopper gross volume	I	546
Hopper load, max.	kg	300
Tipping height	mm	1300
Fresh water tank capacity	1	100
Sweeping system & performance		
Working width - two brushes	mm	1200
Working width up to - 3 rd / 4 th brush	mm	1650 / 2100
Turning radius, 2 brushes and hopper (wall to wall)	mm	1760
Brush speed	rpm	0-100
Brush diameter	mm	570
Suction tube diameter (Ø)	mm	150
Clearance below suction mouth	mm	55
Ground clearance below brushes	mm	140
Sound level LwA (EU directive 2000/14 EC)	dB(A)	N/A
Dust levels: EUnited PM10 and PM2.5		****
	1	



CE certified according to EU directive







Honest Work

Egholm A/S develops, produces and markets utility machines that keep roads, parks and outdoor areas clean and inviting all year round. We supply functional quality machines and attachments to people who do an honest day's work keeping our cities clean and attractive. With special attachments developed for the machines, Egholm machines deliver perfect results no matter the task at hand. Built by craftsmen in Denmark, Egholm machines are in operation in cities and parks all over the world.

Honest Machines

Egholm utility machines are developed by people who are passionate about technology and innovation. We listen to the people driving, using and servicing Egholm machines, because they are the true experts. It is our mission to design, build and market utility machines that deliver perfect results in real life. Egholm machines are honest machines - not just because they deliver comfort, safety and strong end results: They are also a sound investment for years to come and give you outstanding return on your investment.

Honest People.

We want you to think of us as your partner in every single way. And we always insist on reliability, trust and honesty in our partnership with you and with our network of dealers and service partners. We are straightforward and direct in our communication and in our dealings with everyone. Our belief in hard work and unwillingness to compromise that helps us deliver the quality for which we are known. And we believe it is reflected by the machines we build for you, as well.

Egholm A/S

Transportvej 27 7620 Lemvig, Denmark T.: +45 97 81 12 05 www.egholm.eu - info@egholm.dk **Egholm GmbH**Am Hafen 24
38112 Braunschweig, Germany
T.: +49 (0) 531 129 77-0
www.egholm.de - info@egholm.de